

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAJRK1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 FEB 27 New STN AnaVist pricing effective March 1, 2006  
NEWS 4 APR 04 STN AnaVist \$500 visualization usage credit offered  
NEWS 5 MAY 10 CA/Capplus enhanced with 1900-1906 U.S. patent records  
NEWS 6 MAY 11 KOREAPAT updates resume  
NEWS 7 MAY 19 Derwent World Patents Index to be reloaded and enhanced  
NEWS 8 MAY 30 IPC 8 Rolled-up Core codes added to CA/Capplus and  
USPATFULL/USPAT2  
NEWS 9 MAY 30 The F-Term thesaurus is now available in CA/Capplus  
NEWS 10 JUN 02 The first reclassification of IPC codes now complete in  
INPADOC  
NEWS 11 JUN 26 TULSA/TULSA2 reloaded and enhanced with new search and  
and display fields  
NEWS 12 JUN 28 Price changes in full-text patent databases EPFULL and PCTFULL  
NEWS 13 JUL 07 Coverage of Research Disclosure reinstated in DWPI  
NEWS 14 JUL 11 CHEMSAFE reloaded and enhanced  
  
NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT  
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items  
NEWS IPC8 For general information regarding STN implementation of IPC 8  
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 06:01:45 ON 14 JUL 2006

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.42

0.42

10532140.trn

FILE 'REGISTRY' ENTERED AT 06:02:43 ON 14 JUL 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 12 JUL 2006 HIGHEST RN 892389-74-1  
DICTIONARY FILE UPDATES: 12 JUL 2006 HIGHEST RN 892389-74-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006


Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10532140\Struc 1.str



```

chain nodes :
13 14 47 48 51 52 53 54
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 15 16 17 18 19 20 21 22 23 24 25
26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46
chain bonds :
2-14 5-7 10-13 13-17 13-18 14-15 14-16 47-51 47-52 48-53 48-54
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 15-29 15-33
16-34 16-38 17-19 17-23 18-24 18-28 19-20 19-39 20-21 20-42 21-22 22-23
24-25 25-26 26-27 27-28 29-30 30-31 31-32 32-33 32-43 33-46 34-35 35-36
36-37 37-38 39-40 40-41 41-42 43-44 44-45 45-46
exact/norm bonds :
2-14 10-13 13-17 13-18 14-15 14-16 47-51 47-52 48-53 48-54
exact bonds :
5-7
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 15-29 15-33
16-34 16-38 17-19 17-23 18-24 18-28 19-20 19-39 20-21 20-42 21-22 22-23
24-25 25-26 26-27 27-28 29-30 30-31 31-32 32-33 32-43 33-46 34-35 35-36
36-37 37-38 39-40 40-41 41-42 43-44 44-45 45-46

```

G1:Cb,Cy,Hy

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
 11:Atom 12:Atom 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom  
 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom  
 29:Atom 30:Atom 31:Atom 32:Atom 33:Atom 34:Atom 35:Atom 36:Atom 37:Atom  
 38:Atom 39:Atom 40:Atom 41:Atom 42:Atom 43:Atom 44:Atom 45:Atom 46:Atom  
 47:CLASS 48:CLASS 49:Atom 50:Atom 51:CLASS 52:CLASS 53:CLASS 54:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

Structure attributes must be viewed using STN Express query preparation.

=> l1

SAMPLE SEARCH INITIATED 06:03:05 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 88 TO ITERATE

100.0% PROCESSED 88 ITERATIONS

4 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 1198 TO 2322

PROJECTED ANSWERS: 4 TO 200

L2 4 SEA SSS SAM L1

=> l1 full

FULL SEARCH INITIATED 06:03:08 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1765 TO ITERATE

100.0% PROCESSED 1765 ITERATIONS

21 ANSWERS

SEARCH TIME: 00.00.01

L3 21 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

166.94

167.36

FILE 'CAPLUS' ENTERED AT 06:03:11 ON 14 JUL 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Jul 2006 VOL 145 ISS 3  
FILE LAST UPDATED: 12 Jul 2006 (20060712/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> l3

L4 4 L3

=> d ibib abs hitstr 1-4

L4 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN  
ACCESSION NUMBER: 2005:566608 CAPLUS  
DOCUMENT NUMBER: 143:86774  
TITLE: Optical recording material using tetraamine derivative  
INVENTOR(S): Ishida, Tsutomu; Miyazato, Masataka; Shiozaki, Hiroyuki; Ogiso, Akira  
PATENT ASSIGNEE(S): Mitsui Chemicals Inc., Japan  
SOURCE: Jpn. Kokai Tokkyo Koho, 41 pp.  
CODEN: JKXXAF  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2005169781	A2	20050630	JP 2003-411652	20031210
PRIORITY APPLN. INFO.:			JP 2003-411652	20031210
OTHER SOURCE(S):	MARPAT 143:86774			


AB The material has  $\geq 1$  recording layer containing tetraamine derivative. The tetraamine derivative may be Ar<sub>1</sub>Ar<sub>2</sub>NA<sub>1</sub>(X<sub>1</sub>A<sub>2</sub>)lNAr<sub>5</sub>A<sub>3</sub>(X<sub>2</sub>A<sub>4</sub>)mNAr<sub>6</sub>A<sub>5</sub>(X<sub>3</sub>A<sub>6</sub>)nNAr<sub>3</sub>Ar<sub>4</sub> (Ar<sub>1</sub>-6 = aromatic hydrocarbyl which may be substituted with halo, nitro, cyano, alkyl, aryl, metallocenyl, etc.; A<sub>1</sub>-6 = aromatic hydrocarbylene which may be substituted with halo, nitro, cyano, alkyl, aryl, metallocenyl, etc.; X<sub>1</sub>-3 = bond, O, S, CO, aliphatic hydrocarbylene; l, m, n = 0, 1). The material shows high sensitivity to blue-violet laser beam, good C/N ratio, and is suited for high d. and high speed recording.

IT 260550-74-1

RL: TEM (Technical or engineered material use); USES (Uses)  
(blue-violet laser-sensitive optical recording material using tetraamine derivative)

RN 260550-74-1 CAPLUS

CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-([1,1'-biphenyl]-4-ylphenylamino)phenyl]-N,N'-di-1-naphthalenyl- (9CI) (CA INDEX NAME)



L4 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:412911 CAPLUS

DOCUMENT NUMBER: 140:416230

TITLE: Preparation of aromatic amine derivative and organic electroluminescent element employing the same

INVENTOR(S): Kawamura, Hisayuki; Hosokawa, Chishio

PATENT ASSIGNEE(S): Idemitsu Kosan Co., Ltd., Japan

SOURCE: PCT Int. Appl., 85 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004041774	A1	20040521	WO 2003-JP12977	20031009
W: CN, IN, KR, US				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR				
JP 2004155705	A2	20040603	JP 2002-322545	20021106
EP 1559706	A1	20050803	EP 2003-754057	20031009
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, SK				
US 2006061265	A1	20060323	US 2005-532140	20050420
PRIORITY APPLN. INFO.:			JP 2002-322545	A 20021106
			WO 2003-JP12977	W 20031009
OTHER SOURCE(S):		MARPAT 140:416230		
GI				

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB Disclosed are aromatic amine derivs. represented by the following general formula (I) [Ar1, Ar2 = (un)substituted C10-50 fused aryl; Ar3-Ar6 = (un)substituted C6-50 aryl; Ar7-Ar10 = (un)substituted C6-50 arylene; or the substituents of Ar7 and Ar8 forma a ring; L = a single bond, an ether bond, a thioether bond, each (un)substituted C6-50 arylene, C5-50 heteroarylene, C1-50 alkylene, or C2-50 alkylidene; provided that at least one of Ar3-Ar6 is (un)substituted C10-50 fused aryl and at least one of Ar1 and Ar2 is (un)substituted C12-50 aryl] and an organic electroluminescent element which has at least one thin organic layer containing either the aromatic

amine derivative I alone or a mixture of the derivative I. The aromatic amines I are

10532140.trn


used as hole-injecting materials for a luminescent zone or hole-transport zone of an organic electroluminescent element. The element has a high luminescent efficiency even at a low voltage and excellent high temperature stability and retains a long life and is capable of emitting blue light even at high temps. Thus, N,N'-bis(naphth-1-yl)-4,4'-benzidine 10, N-(4-bromophenyl)-N-phenyl-1-naphthylamine 21, sodium tert-butoxide 6, and bis(triphenylphosphine)palladium chloride 1 g were added to 500 mL xylene and heated at 130° for 24 h to give N,N'-bis[4-[N-(1-naphthyl)phenylamino]phenyl]-N,N'-bis(naphth-1-yl)-4,4'-benzidine (II). An organic electroluminescent element with a hole-injection layer (60 nm) formed by vapor-deposition of II on a ITO transparent electrode-fabricated glass substrate emitted blue light at 4.5 V and 130° for 100 h with luminescent efficiency of 10.2 cd/A and half life of 4,300 h.

IT 690658-70-9P 690658-71-0P 690658-72-1P  
690658-73-2P 690658-74-3P 690658-75-4P  
690658-76-5P 690658-77-6P 690658-78-7P  
690658-88-9P 690658-89-0P 690658-90-3P  
690658-91-4P 690658-92-5P 690658-93-6P  
690658-94-7P 690658-95-8P 690658-96-9P  
690658-97-0P


RL: DEV (Device component use); PRP (Properties); SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(preparation of aromatic amine derivs. as hole-injecting material for blue light-emitting organic electroluminescent elements)

RN 690658-70-9 CAPLUS  
CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-di-1-naphthalenyl-N,N'-bis[4-(1-naphthalenylphenylamino)phenyl]- (9CI) (CA INDEX NAME)




RN	690658-71-0	CAPLUS
CN	[1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(di-1-naphthalenylamino)phenyl]- N,N'-di-1-naphthalenyl- (9CI) (CA INDEX NAME)	




RN 690658-72-1 CAPLUS  
CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-di-1-naphthalenyl-N,N'-bis[4-(2-naphthalenylphenylamino)phenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-73-2 CAPLUS  
CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-di-1-naphthalenyl-N,N'-bis[4-(1-naphthalenyl-2-naphthalenylamino)phenyl]- (9CI) (CA INDEX NAME)



PAGE 1-A




PAGE 1-B




RN 690658-74-3 CAPLUS  
CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(di-2-naphthalenylamino)phenyl]-  
N,N'-di-1-naphthalenyl- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-75-4 CAPLUS

CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-di-1-naphthalenyl-N,N'-bis[4-(9-phenanthrenylphenylamino)phenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-76-5 CAPLUS

CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-di-1-naphthalenyl-N,N'-bis[4-(1-naphthalenyl-9-phenanthrenylamino)phenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-77-6 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-di-1-naphthalenyl-N,N'-bis[4-(2-naphthalenyl-9-phenanthrenylamino)phenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-78-7 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(di-9-phenanthrenylamino)phenyl]-N,N'-di-1-naphthalenyl- (9CI) (CA INDEX NAME)


PAGE 1-A




PAGE 1-B



RN 690658-88-9 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(1-naphthalenylphenylamino)phenyl]-N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)




RN 690658-89-0 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(di-1-naphthalenylamino)phenyl]-N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)




RN 690658-90-3 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(2-naphthalenylphenylamino)phenyl]-N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-91-4 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(1-naphthalenyl-2-naphthalenylamino)phenyl]-N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-92-5 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(di-2-naphthalenylamino)phenyl]-  
 N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-93-6 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-di-9-phenanthrenyl-N,N'-bis[4-(9-  
 phenanthrenylphenylamino)phenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-94-7 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(1-naphthalenyl-9-phenanthrenylamino)phenyl]-N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-95-8 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(2-naphthalenyl-9-phenanthrenylamino)phenyl]-N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 690658-96-9 CAPLUS  
 CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(di-9-phenanthrenylamino)phenyl]-  
 N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)

PAGE 1-A








RN 690658-97-0 CAPLUS

CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-(diphenylamino)phenyl]-N,N'-di-9-phenanthrenyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:175881 CAPLUS

DOCUMENT NUMBER: 132:214645

TITLE: Organic electroluminescence device and phenylenediamine derivative

INVENTOR(S): Kawamura, Hisayuki; Hosokawa, Chishio

PATENT ASSIGNEE(S): Idemitsu Kosan Co., Ltd., Japan

SOURCE: PCT Int. Appl., 124 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000014174	A1	20000316	WO 1999-JP4794	19990903
W: CN, KR, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
EP 1029909	A1	20000823	EP 1999-940653	19990903
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				

IE, FI

CN 1733700	A	20060215	CN 2005-10074019	19990903
TW 222965	B1	20041101	TW 1999-88115517	19990908
JP 2000309566	A2	20001107	JP 1999-256280	19990909
US 6541129	B1	20030401	US 2000-530597	20000509
US 2003143430	A1	20030731	US 2002-331645	20021231
US 2006082294	A1	20060420	US 2005-201263	20050811
PRIORITY APPLN. INFO.:			JP 1998-255563	A 19980909
			JP 1999-47110	A 19990224
			JP 1998-25563	A 19980909
			CN 1999-801522	A3 19990903
			WO 1999-JP4794	W 19990903
			US 2000-530597	A3 20000509
			US 2002-331645	B1 20021231

OTHER SOURCE(S): MARPAT 132:214645

AB An organic electroluminescence device having a low driving voltage and a long life and a material having a small ionization potential and providing a large hole mobility are disclosed. The organic electroluminescence device comprises an organic electroluminescent layer containing a charge injection assisting material, and a hole transport region containing a phenylenediamine derivative expressed by a specific structural formula and having a hole mobility of  $10^{-4}$  cm<sup>2</sup>/V·s or more, the both layer being sandwiched between a pair of electrodes.


IT 260550-74-1

RL: DEV (Device component use); USES (Uses)

(organic electroluminescence device containing phenylenediamine derivative)

RN 260550-74-1 CAPLUS

CN [1,1'-Biphenyl]-4,4'-diamine, N,N'-bis[4-([1,1'-biphenyl]-4-ylphenylamino)phenyl]-N,N'-di-1-naphthalenyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:260962 CAPLUS

DOCUMENT NUMBER: 130:344892

TITLE: Organic electroluminescent material containing anthracene derivative and organic electroluminescent device with it

INVENTOR(S): Tamano, Michiko; Maki, Shinichiro; Onikubo, Shunichi; Okutsu, Satoshi; Enokida, Toshio

PATENT ASSIGNEE(S): Toyo Ink Mfg. Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 22 pp.

CODEN: JKXXAF


DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

## PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11111458	A2	19990423	JP 1997-264468	19970929
PRIORITY APPLN. INFO.:			JP 1997-264468	19970929
OTHER SOURCE(S):	MARPAT	130:344892		
GI				




AB The material comprises an anthracene derivative having a formula I (A1, 2 = alkyl, alkoxy, aryloxy, condensed polycyclic, alkylamino, arylamino; R1-16 = H, halogen, cyano, NO<sub>2</sub>, alkyl, alkoxy, aryloxy, alkylthio, arylthio, cyclic group, NH<sub>2</sub>; R1-16 may bond to form a ring). The device has a light-emitting layer-containing plural organic compound thin films sandwiched between a pair of electrodes, at least one of the films contains the material. The device shows high luminance with efficiency and long life.

IT 223735-60-2  
 RL: DEV (Device component use); MOA (Modifier or additive use); TEM (Technical or engineered material use); USES (Uses)  
 (light-emitting material containing anthracene derivative for electroluminescent device)


RN 223735-60-2 CAPLUS

CN [9,9'-Bianthracene]-10,10'-diamine, N,N'-bis[4-(diphenylamino)-1-naphthalenyl]-N,N'-bis[4-[(3-methylphenyl)phenylamino]phenyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



=&gt; log h

COST IN U.S. DOLLARS

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE FILE

ENTRY

21.82

SINCE FILE

ENTRY

-3.00

TOTAL

SESSION

189.18

TOTAL

SESSION

-3.00

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 06:04:45 ON 14 JUL 2006